



Marine-based Biofertiliser

Boosts crop quality and disease resistance




EVERY LITRE
MAKES UP TO
200 LITRES
FOLIAR OR ROOT APPLICATIONS

BIOZIN K				
N	P	K	Humic Acid	Amino Acid
5	2	10	25% to 33%	5% to 10%

A blend of **BIOZIN™ BOOST** and **plant/marine-based potassium, BIOZIN™ K** is a unique formulation designed for use during the **post-flowering stages** of plant growth. It effectively **fills up fruit, kernel, and boll tissue**, resulting in optimum growth and increased harvest size.


- ▶ Encourages lush flowers and fruits by efficiently delivering nutrients for immediate uptake.
- ▶ Improves soil fertility, nutrients, structure, and water-holding capacity, promoting maximum vegetative growth.
- ▶ Enhances root system by increasing size and promoting hair growth.
- ▶ Boosts plant immunity against disease and pests while increasing resistance to environmental stress, especially high heat.
- ▶ Increases photosynthesis, particularly for seedlings.
- ▶ Improves crop quality, extends the harvest period, and is conducive to long-term storage.



High potash formula with natural humic acids and amino acids

Improves Crop Performance and Sizing at Harvest

Complete the **BIOZIN CYCLE** for a Healthy Productive Crop at All Times to Maximise Yield and Profit



DIRECTIONS FOR USE

Spray System with Nozzle <math>< 120\mu\text{m}</math>

Dilute BIOZIN™ with water and filter it through a screen 140 mesh size or higher

Irrigation Tank with Piping System

Add BIOZIN™ and water directly into the irrigation tank and stir until well-mixed

Hand Sprayer

Shake diluted BIOZIN™ well before use to evenly distribute before spray

When blending with other compounds, dilute BIOZIN™ separately and add it to the tank as the last ingredient

DO NOT spray during the heat of the day. Spray early morning, late evening or on an overcast day.

COMPATIBILITY

Physically compatible with a wide range of commonly used products. However, physical compatibility with other products should always be first tested by 'mixing in a jar' before application.

DISCLAIMER

Straits Biotech Sdn Bhd has no control over farming methods, application of the product, irrigation systems, weather or growing conditions. Consequently, no responsibility or liability for any failure in performance, losses, damages or injuries will be accepted by Straits Biotech Sdn Bhd, its distributors or agents following the use of this product. Seek independent advice before use.

APPLICATION RATES

Matured Durian Trees

Dilute BIOZIN™ 1L with 50L Water ▶ Apply 5L per Tree ▶ 1 Time per Month

Matured Oil Palm Trees

Dilute BIOZIN™ 1L with 50L Water ▶ Apply 5L per Tree ▶ 1 Time per Month

Saplings and Smaller Trees

Dilute BIOZIN™ 1L with 100 / 150L Water ▶ for 1 Acre ▶ Amount Used Vary According to Root System's Size ▶ 2 Times per Month

Flower Orchard, Lawn, Vegetable and Fruit Farms

Dilute BIOZIN™ 1L with 150 / 200L Water for 1 Acre ▶ Amount Used Vary According to Root System's Size ▶ 2 Times per Month

Paddy Field

Dilute BIOZIN™ 1L with 200L Water ▶ Apply 800L per 1 Hectare ▶ 3 Times per Season

CAUTION

Keep out of reach of children. Avoid contact with eyes. If swallowed seek medical advice if adverse symptoms arise.

MANUFACTURED & BOTTLED BY:



Straits Biotech Sdn Bhd
Kampung Sematang Pinang,
06600 Kuala Kedah,
Kedah, Malaysia
Tel : +6016-932 8497



Marine-based Biofertiliser



www.biozin.com.my